


Project : STANDARD  
 Model No : HR174R36024MCAS

**215W LED PANEL 174x252mm RECTANGULAR**



**Input Characteristics**

**Mechanical Details**

1	Typical Voltage (Un)	115 Vdc	Weight	100gm
2	Operating Voltage Range	112 - 118Vdc	Panel Dimensions	
3	Typical Current (A)	1.7 A	Length W/Mount	252mm
4	Wattage (W) MAX	215W	Width	174mm
5	Nos Of LEDs	72	Center to Center (CTC)	175x85mm
6	LEDs Aray Combination	36in Series 2 in parallal	Thickness	1.6mm
7	Viewing Angle	120°	PCB Material	
8	LED Color Tempreture	6500K	Polarity Connection	On PCB
9	Luminous flux	23650lm	Input Connections	Wires
10	Operating Tempreture	-15 to 50°C	Wires Colors and Polarity	
11	Maintenace of Lumen output -L70	30,000 hours at 25°C	Positive (+ve)	RED
12	LED Make	SAMSUNG	Negative (-ve)	BLACK
13	LED Package	Z5M2		

**Environmental Operating Details**

**Features**

1	Minimum Ambient Temperature	-5°C	1. High System Efficiency - 110lm/W. 2. High Color Redering and good light uniformity. 3. Energy Saving. 4. Improve working enviroment. 5. Long life time: 25,000 hours minimum. 6. Lumen Flux depend on Reflector/Diffuser.
2	Maximum Ambient Temperature	50°C	

**Ordering Information**

Sr No	Model Number	Description	Case Lot
1	HR174R36024MCAS	LED PANEL 174X252mm Rectangular	50

Add:-SR.NO. 14, Dhadge ind Estate, plot no.3 Singhgad Road, Nanded Phata, Pune-411041, Maharashtra(India),mobile no:8668334832  
 Email : marketing@hrindustry.net ,hrindustry12@outlook.com , web:- www.hrindustry.net , Contact:- 9049378851,9689999702